

A comprehensive line of power supply cords is available from current stock. The product line include custom design and manufacturing of cord sets to specifications. Call our sales office for information regarding engineered or custom designed power supply cords as well as those made for stock.

Appliance and Power Supply Cords

- Range and dryer cord kits
 - Molded-on plug provides excellent strain relief, safe handling and durability.
 - Positive internal connections assure electrical continuity.
 - All cords have ring terminals, and metal strain relief clamps.
 - Suitable for OSHA required applications.
- Range and dryer cords
- Appliance and power tool extension cords and replacements
- Air conditioner extension cords & replacements
- Power Supply Cords
- RV Power Supply Cords
- Hospital Power Supply Cords



New Part Number	Old Part No.	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.	
-----------------	--------------	-----------	--------	------------	--------	-----------------------------	--

SRDT, 3 WIRE DRYER CORD KITS - 30A

Right angle plug, ring terminals, strain-relief connector, NEMA 10-30P.



A0285004GYPLB	03061	10/3	4'	GRAY	30A 125/250V	12	15
A0285005GYPLB	03062	10/3	5'	GRAY	30A 125/250V	12	17
A0285006GYPLB	03063	10/3	6'	GRAY	30A 125/250V	12	20

SRDT, 3 WIRE RANGE CORD KITS - 40A

Right angle plug, ring terminals, strain-relief connector, NEMA 10-50P.

A0283004GYPLB	03071	8/2, 10/1	4'	GRAY	40A 125/250V	12	17
A0283005GYPLB	03072	8/2, 10/1	5'	GRAY	40A 125/250V	12	21
A0283006GYPLB	03073	8/2, 10/1	6'	GRAY	40A 125/250V	12	24

SRDT, 3 WIRE RANGE CORD KITS - 50A

Right angle plug, ring terminals, strain-relief connector, NEMA 10-50P.

A0284004GYPLB	03081	6/2, 8/1	4'	GRAY	50A 125/250V	12	22
A0284005GYPLB	03082	6/2, 8/1	5'	GRAY	50A 125/250V	12	26
A0284006GYPLB	03083	6/2, 8/1	6'	GRAY	50A 125/250V	12	30

SRDT, 4 WIRE DRYER CORD KITS - 30A

Right angle plug, ring terminals, strain-relief connector, NEMA 14-30P.



A5434004BL	03091	10/4	4'	BLACK	30A 125/250V	10	16
A5434005BL	03092	10/4	5'	BLACK	30A 125/250V	10	20
A5434006BL	03093	10/4	6'	BLACK	30A 125/250V	10	21

SRDT, 4 WIRE RANGE CORD KITS - 40A

Right angle plug, ring terminals, strain-relief connector, NEMA 14-50P.

A5435004BL	29234	8/2, 10/2	4'	BLACK	40A 125/250V	10	19
A5435005BL	29235	8/2, 10/2	5'	BLACK	40A 125/250V	10	22
A5435006BL	29236	8/2, 10/2	6'	BLACK	40A 125/250V	10	26

SRDT, 4 WIRE RANGE CORD KITS - 50A

Right angle plug, ring terminals, strain-relief connector, NEMA 14-50P.

A5436004BL	03096	6/2, 8/2	4'	BLACK	50A 125/250V	10	27
A5436005BL	03097	6/2, 8/2	5'	BLACK	50A 125/250V	10	31
A5436006BL	03098	6/2, 8/2	6'	BLACK	50A 125/250V	10	37

ST, 3 WIRE REPAIR CORD KIT - 30A

Right angle plug, ring terminals, strain-relief connector, NEMA 6-30P.



A0933004GY	03042	10/3	4'	GRAY	30A 250V 7500W	10	16
A0933006GY	03044	10/3	6'	GRAY	30A 250V 7500W	10	21

New Part Number	Old Part No.	Cord Size	Length	Cord Color	Rating	Standard Carton	
						Qty.	Lbs.

GARBAGE DISPOSAL/GENERAL PURPOSE, SPT-3 POWER SUPPLY CORD, 15A



Straight plug, other end split and stripped, NEMA 5-15P.

09616003GY	29758	14/3	3'	GRAY	15A 125V 1875W	100	38
09616006GY	25625	14/3	6'	GRAY	15A 125V 1875W	50	33



GARBAGE DISPOSAL/GENERAL PURPOSE, SPT-3, POWER SUPPLY CORDS, 13A

Straight plug, other end split and stripped, NEMA 5-15P.

C1337003GY	03110	16/3	3'	GRAY	13A 125V 1625W	50	13
C1337004GY	03111	16/3	4'	GRAY	13A 125V 1625W	50	16
C1337005GY	03112	16/3	5'	GRAY	13A 125V 1625W	50	19
C1337006GY	03113	16/3	6'	GRAY	13A 125V 1625W	50	23
C1337008GY	03114	16/3	8'	GRAY	13A 125V 1625W	50	28

Right angle plug, other end split and stripped, NEMA 5-15P.

C1338003GY	03120	16/3	3'	GRAY	13A 125V 1625W	50	13
C1338004GY	03121	16/3	4'	GRAY	13A 125V 1625W	50	16
C1338005GY	03122	16/3	5'	GRAY	13A 125V 1625W	50	20
C1338006GY	03123	16/3	6'	GRAY	13A 125V 1625W	50	23
C1338008GY	03124	16/3	8'	GRAY	13A 125V 1625W	50	29

GARBAGE DISPOSAL/GENERAL PURPOSE, SJT, POWER SUPPLY CORD



Straight NEMA 5-15P, other end the jacket is removed and conductors stripped. For multiple uses including garbage disposal, appliance and small tool repair.

C1314006BL	03182	14/3	6'	BLACK	15A 125V 1875W	50	30
C1314008BL	03184	14/3	8'	BLACK	15A 125V 1875W	50	38
C1316003BLPKG	03170	16/3	3'	BLACK	13A 125V 1625W	25	8
C1316006BL	03171	16/3	6'	BLACK	13A 125V 1625W	75	35
C1316008BL	03172	16/3	8'	BLACK	13A 125V 1625W	50	30
C1318003BL	03150	18/3	3'	BLACK	10A 125V 1250W	100	22
C1318006BL	03151	18/3	6'	BLACK	10A 125V 1250W	100	42
C1318008BL	03155	18/3	8'	BLACK	10A 125V 1250W	75	43



To learn more about B-I-A please visit us at our
WEB site: www.BiaGmbH.com



New Part Number	Old Part No.	Cord Size	Length	Cord Color	Rating	Standard Carton Qty. Lbs.	
-----------------	--------------	-----------	--------	------------	--------	-----------------------------	--

APPLIANCE & POWER TOOL REPLACEMENT CORDS - SJOOW

For use with major appliances, power tools and motors.
NEMA L5-20P.



A3516050BL	--	16/3	50'	BLACK	13A 125V 1625W	10	41
NEMA N5-15P							
C1327008BL	--	16/3	8'	BLACK	13A 125V 1625W	50	34
NEMA N1-15P							
C2117008BL	--	16/2	8'	BLACK	13A 125V 1625W	50	31
NEMA N5-15P							
C1324008BL	--	14/3	8'	BLACK	15A 125V 1875W	50	43

APPLIANCE & POWER TOOL REPLACEMENT CORDS - SOOW

For use with major appliances, power tools and motors. NEMA 5-15.



C1228010BL	--	14/3	10'	BLACK	15A 125V 1875W	20	36
-------------------	----	------	-----	-------	----------------	----	----

APPLIANCE & POWER TOOL REPLACEMENT CORDS, SJT

For use with major appliances, power tools and motors.



With U-Ground Plug, other end stripped, NEMA 5-15.

C1326008BL	03026	16/3	8'	BLACK	13A 125V 1625W	5/50	33
-------------------	-------	------	----	-------	----------------	------	----

With Locking Connection Plug, other end stripped, NEMA L5-20P.

A1516008BL	03030	16/3 (STW)	8'	BLACK	13A 125V 1625W	25	23
A1516050BL	03028	16/3 (SJTW)	50'	BLACK	13A 125V 1625W	10	37

AIR CONDITIONER POWER SUPPLY REPLACEMENT CORDS, SPT-3

Right angle plug, other end split and stripped, NEMA 6-15.



C1344006GY	03128	14/3	6'	GRAY	15A 250V 3750W	50	32
-------------------	-------	------	----	------	----------------	----	----

Right angle plug, other end split and stripped, NEMA 5-20.

A1416006GY	03132	12/3	6'	GRAY	20A 125V 2500W	25	22
-------------------	-------	------	----	------	----------------	----	----

Right angle plug, other end split and stripped, NEMA 6-20.

A1417006GY	03136	12/3	6'	GRAY	20A 250V 5000W	25	22
-------------------	-------	------	----	------	----------------	----	----

New Part Number	Old Part No.	Cord Size	Length	Cord Color	Rating	Standard Carton Qty.	Lbs.
-----------------	--------------	-----------	--------	------------	--------	----------------------	------

LAUNDRY DROP CORD - SJT

U-Ground connector, other end stripped, UL recognized as wiring harness, NEMA 5-15R.



C1320002BL30D	03139	16/3	30"	BLACK	13A 125V 1625W	30	8
---------------	-------	------	-----	-------	----------------	----	---

APPLIANCE & POWER TOOL EXTENSION CORDS - SJTW

For use with major appliances, motors and power tools, U-Ground NEMA 5-15.



A2316008BL	02180	16/3	8'	BLACK	13A 125V 1625W	50	35
A2316015BL	02182	16/3	15'	BLACK	13A 125V 1625W	30	38

AIR CONDITIONER EXTENSION CORDS - SPT-3

15 Amp 125 volt, right angle plug, U-Ground NEMA 5-15.



A1412003GY	02140	14/3	3'	GRAY	15A 125V 1875W	30	13
A1412006GY	02142	14/3	6'	GRAY	15A 125V 1875W	20	14
A1412009GY	02144	14/3	9'	GRAY	15A 125V 1875W	15	15
A1412012GY	02146	14/3	12'	GRAY	15A 125V 1875W	12	16
A1412015GY	02148	14/3	15'	GRAY	15A 125V 1875W	12	19

AIR CONDITIONER EXTENSION CORDS - SPT-3

Right angle plug, NEMA 6-20.

A1415006GY	02156	12/3	6'	GRAY	20A 250W 5000W	25	25
A1415009GY	02157	12/3	9'	GRAY	20A 250V 5000W	25	35

MOBILE HOME POWER SUPPLY CORD - STW

Right angle plug with ring terminals, NEMA 14-50P.



A5442025BL	02193	6/3 8/1	25'	BLACK	50A 125/250V	2	42
A5442036BL	02194	6/3 8/1	36'	BLACK	50A 125/250V	1	28

POWER SUPPLY CORD FOR RV USE - STW

Right angle plug with ring terminals.

A5444025BL	02195	10/3	25'	BLACK	30A 125V 3750W	5	39
A5444030BL	02196	10/3	30'	BLACK	30A 125V 3750W	4	37
A5444036BL	02197	10/3	36'	BLACK	30A 125V 3750W	4	42

Part Number	Old Part No.	Size	Length	Rating	Cord Color	Standard Carton Qty. Lbs.
-------------	--------------	------	--------	--------	------------	-----------------------------

HOSPITAL GRADE POWER SUPPLY CORDS

For molded-in safety, strength, durability and a fine finished appearance. Used primarily with medical instrumentation and equipment. Stops liquid penetration and abrasion and is chemical-resistant, plus has a molded-in strain relief to withstand excessive abuse and tension



SJT POWER SUPPLY CORDS - North American Color Code

NEMA 5-15, other end jacket removed and conductors stripped.

C4701012GY	03271	16/3	12'	13A 125V 1625W	GRAY ¹	25 25
------------	-------	------	-----	----------------	-------------------	---------

SJT DETACHABLE POWER SUPPLY CORD - North American Color Code

Male end NEMA 5-15P, female end IEC 320/C13.

C5720010GY	03282	18/3	10'	10A 125V 1250W	GRAY ²	50 41
C5721010GY	03284	18/3	10'	10A 125V 1250W	GRAY ³	50 39

Note:
 1 - ROUND GRAY PLUG
 2 - ROUND CLEAR PLUG
 3 - SQUARE CLEAR PLUG



To learn more about B-I-A please visit us at our
 WEB site: www.BiaGmbH.com

