



DRUB – DIN Rail Utility Box

Pre-Wired, Labor Saving, Utility Power.

Features

- Industry's Broadest Product Offering
 - 15A GFCI Duplex Receptacle
 - 20A GFCI Duplex Receptacle
 - 20A Blank Face GFCI Receptacle
 - 15A Surge Suppression Receptacle
 - 15A Isolated Ground Receptacle
 - 15A 125V Duplex Receptacle
 - 20A 125V Duplex Receptacle
 - 15A 250V Duplex Receptacle
 - 20A AC Switch
- All gray housing, faceplate, and receptacle blend well in control cabinet applications
- UL Recognized Component and CSA Certified.
- Pre-wired „kits“ are available for end-user customization
- Optional auxiliary contacts for feed through capability

Labor and Material Saving Device

The DIN Rail Utility Box offers a labor saving way to provide utility power to any control cabinet. DRUBs come pre-wired with a variety of receptacles or as pre-wired „kits“ for end-user customization. Installing the DIN Rail Utility Box is as easy as snapping the box onto a 35mm DIN rail and connecting the Line, Neutral and Ground wires to the terminal block, utility power for fans, lights, laptop computers, testers or any other need is now at your disposal.

Vertical or Horizontal Mounting

All DIN Rail Utility Boxes may be mounted either vertically or horizontally on the DIN rail. The „H“ version comes with the terminal block mounted for easy wiring when the DIN Rail Utility Box is mounted horizontally.



Load Limiting Capability


The DIN rail boxes are available with an optional 5-Amp circuit breaker for load limiting capability. Customers concerned that unauthorized power tools, cleaning apparatus or other equipment not be powered by the utility power in the control cabinet may order the „CB5“ version. The „CB5“ version allows the load being drawn from the DRUB to be limited to a maximum of 5A.



Surge Protection

DRUBTVSS15 features a 15A surge receptacle. The receptacle has a 15 kA peak current rating and features a standard LED and audible alarm status indicator. The indicator notifies the user if the surge receptacle has been damaged. The alarm may be silenced by turning the muting screw.





All Boxes



NEMA 5-15R
15A 125V



NEMA 6-15R
15A 250V
*DRUB5462



NEMA 5-20R
20A 125V

Duplex Receptacles

Description	Color	Catalog Numbers	
Complete Unit	Gray	DRUB15	DRUB20
Complete Unit- Horizontal Mount	Gray	DRUB15H	-
Complete Unit w/5A Circuit Breaker	Gray	DRUB15CB5	-
Complete Unit w/5A Circuit Breaker- Horizontal	Gray	DRUB15HCB5	-
Complete Unit w/Aux	Gray	-	DRUB20AC
Complete Unit w/Aux and 5A Circuit Breaker	Gray	-	DRUB20ACCB5
Complete Unit w/ 6-15R Duplex	Gray	DRUB5462*	

GFCI Duplex Receptacles

Description	Color	Catalog Numbers	
Complete Unit	Gray	DRUBGFI15	DRUBGFI20
Complete Unit- Horizontal	Gray	DRUBGFI15H	-
Complete Unit w/ 5A Circuit Breaker	Gray	DRUBGFI15CB5	-
Complete Unit- w/5A Circuit Breaker- Horizontal	Gray	DRUBGFI15HCB5	-
Complete Unit- with Aux GFCI Contacts	Gray	DRUBGFI15AC	DRUBGFI20AC
Complete Unit-Faceless w/Aux GFCI Contacts	Gray	DRUBGFI20FBAC	-

TVSS Duplex Receptacles

Description	Color	Catalog Numbers	
Complete Unit	Gray	DRUBTVSS15	-

Isolated Ground Duplex Receptacles

Description	Color	Catalog Numbers	
Complete Unit	Gray	DRUBIG15	-

Toggle Switch Unit

Description	Color	Catalog Numbers	
Single Pole Switch in Complete Unit w/Aux	Gray	DRUB1221AC	-
Complete unit with SW/REC	Gray	DRUB6404	-

DIN Rail Utility Box Components

Description	Color	Catalog Numbers	
Prewired Kit Without Circuit Breaker	Gray	DRUBKIT	
Prewired Kit With Circuit Breaker	Gray	DRUBKITCB5	
Prewired Kit With Aux	Gray	DRUBKITAC	
Prewired Kit With Circuit Breaker and Aux	Gray	DRUBKITACCB5	
Switch Plate Only	Gray	KP1GY	
Rectangular Opening Plate Only	Gray	KP26GY	
1.60" Opening Plate Only	Gray	KP720GY	
1.40" Opening Plate Only	Gray	KP7GY	
Duplex Receptacle Plate Only	Gray	KP8GY	