




Metal Clad

Designed for use in the industrial and commercial environment, the Metalclad range is manufactured from mild steel and coated in epoxy resin. Each product is supplied complete with a mounting box in a matching finish, fitted with an earth terminal.



VX9100SG

VX9200SG



VX1300SG

VX1500SG



VX1020SG

VX1040SG

VX1050SG

10AX SWITCHES

LIST NO	DESCRIPTION	CARTON QTY
VX1020SG	1 gang 2 way	5
VX1030SG	1 gang intermediate	5
VX1040SG	2 gang 2 way	5
VX1050SG	3 gang 2 way	5
VX1054SG	4 gang 2 way	5

- BS EN 60669-1
- Terminals suitable for 4x1.0mm²-3x1.5mm², or 2x2.5mm² conductors
- Fully rated at 10AX for fluorescent and inductive loads

Dimensions

- 1 gang 86.7mmx86.7mmx44mm
- 2 gang 143.9mmx86.7mmx44mm



20A DP CONTROL SWITCHES

LIST NO	DESCRIPTION	CARTON QTY
VX1060SG	1 gang with neon indicator	5
VX1060FSG	1 gang with neon, front flex outlet & cord grip	5
VX1070SG	1 gang	5
VX1070FSG	1 gang with front flex outlet & cord grip	5

- BS EN 60669-1
- Terminals suitable for up to 3x2.5mm² to 2x4mm² conductors
- Cord outlet, suitable for flexible cord up to 10mm²

Dimensions

86.7mmx86.7mmx44mm



45A DP SWITCHES

LIST NO	DESCRIPTION	CARTON QTY
VX9702SG	45A DP switch with neon	1
VX9703SG	45A DP switch	1

- BS EN 60669-1
- Terminals suitable for conductor sizes up to 1x16mm²
- The following markings are available; add the appropriate suffix to the list number, eg VX9702SG/**CK**:


COOKER – **CK**

SHOWER – **SH**

AIR CONDITIONING – **AC**

Dimensions

143.9mmx86.7mmx44mm



13A SOCKET OUTLETS

LIST NO	DESCRIPTION	CARTON QTY
VX9100SG	1 gang socket	5
VX9200SG	2 gang socket	5
VX1300SG	1 gang SP switched	5
VX1500SG	2 gang SP switched	5
VX1400SG	1 gang SP switched with neon	5
VX1600SG	2 gang SP switched with neon	5

- BS1363
- Terminals suitable for 3x2.5mm² or 2x4mm² conductors
- Double pole switching available. Suffix list no. -/D i.e.VX1500SG/D
- 2 gang DP sockets come with twin earth as standard

Dimensions

- 1 gang: 86.7mmx86.7mmx44mm
- 2 gang: 143.9mmx86.7mmx44mm



13A 30mA METALCLAD RCD PROTECTED SOCKETS & FCU

LIST NO	DESCRIPTION	CARTON QTY
VT1108SG	1 gang switched RCD protected socket outlet	1
VT1208SG	2 gang switched RCD protected socket outlet	1
VT1092SG	RCD Fused Connection Unit	1

- Socket outlets to BS7288
- Double pole switching
- Terminals suitable for 3x2.5mm² or 2x4.0mm² conductors

Dimensions

- 1 gang: 86.7mmx86.7mmx44mm
- 2 gang: 143.9mmx86.7mmx44mm





13A FUSED CONNECTION UNITS

LIST NO	DESCRIPTION	CARTON QTY
VX1080SG	DP switched	5
VX1080FSG	DP switched with front flex outlet & cord grip	5
VX1081SG	DP switched with neon	5
VX1081FSG	DP switched with neon, front flex outlet & cord grip	5
VX1090SG	13A unswitched	5
VX1090FSG	13A unswitched with front flex outlet & cord grip	5
VX1091SG	13A unswitched with neon	5
VX1091FSG	13A unswitched with neon, front flex outlet & cord grip	5

- BS1363
- Terminals suitable for 3x2.5mm² or 2x4mm² conductors
- Cord outlet suitable for flexible cord up to 10mm²

Dimensions
86.7mmx86.7mmx44mm




15A ROUND PIN SWITCHES

LIST NO	DESCRIPTION	CARTON QTY
VX9900SG	Switched socket outlet	5

- BS546
- 1 gang shuttered single pole

Dimensions
86.7mmx86.7mmx44mm



BLANKING PLATES

LIST NO	DESCRIPTION	CARTON QTY
VX9991SG	1 gang	5
VX9996SG	2 gang	5

Dimensions
1 gang 86.7mmx86.7mmx44mm
2 gang 143.9mmx86.7mmx44mm